


DONRACK'S
one stop storage solutions



Authorized Distrubutor of Euronova



ENSURE INNOVATIONS (P) LTD.

(An ISO 9001 : 2015, IEC 61010 & CE CERTIFIED COMPANY)

www.euronovaindia.com

INTRODUCTION

Please Allow me to introduce our company to you **Ensure Innovations Private Limited** is a company formed by professionals having rich experience in commercial refrigeration and food service ventures in India. We adhere to the market demand, make use of the technological progress as the driving force, listen widely to opinions of all customers and research ambient temperature, voltage, energy saving etc from different areas which are the key factors to design and produce chest freezers/Chillers, Vertical Chillers/freezers, Display Counters, Confectionary Showcase, Supermarkets Products etc. under the brand name of **Euronova**.

Our products are well designed to operate in all seasons. All the products deliver better performance due to highly energy efficient compressors and better condensing capacity. In-house design set up for matching, balancing and installation of refrigeration equipments.

Team **Euronova** is committed to provide latest new edge cooling solutions that not only satisfy our customer needs but also add value to the equipment investment by reducing costs, improving productivity, assuring reliable and emphasizing food safety.

Ensure Innovations Pvt. Ltd. has its Pan India Presence and delicately working in Frozen, Dairy Industry & caters to Retail segments through our more than 150 sales and service channel partners across the country.

We request you to allow us an opportunity to serve your food chain as a single window for all your refrigeration needs!!!

We also invite you to visit our website
www.euronovaindia.com

Thanking and assuring you of our best attention at all times, we are,

"Euronova " **INNOVATION, HONESTY, SPECIALITY & EXCELLENCE**" are our directions we always keep.....

Highly Admired by some of our prominent customer



SEGMENT CATERS



EURONOVA PROFESSIONALS



EGN-650 TNM/BTM



EGN-1410 TNM/BTM



VRX-1200



EGN-2100 TN/BT



SALADETTE S-900

HIGHLIGHTS:

HIGHLIGHTS FOR REACH-IN & UNDER COUNTER CHILLER/FREEZER

- Interior And Exterior Stainless Steel
- Castor Wheels And Legs For Easy Moving
- Digital Temperature Display With Adjustment
- Ventilated Cooling System
- Auto Door Closer And Built-in Handle In Door
- Can Change The Door Into Drawers
- Also Available In Glass Door
- Built In Door Handle For Easy Service
- Top Mounted Refrigeration System In Reach-ins For Proper Ventilation

EURONOVA PROFESSIONALS TECHNICAL SPECIFICATIONS

Model Name	EGN-1410 TNM	EGN-650 TNM	EGN -1410 BTM	EGN-650 BTM	EGN-3100 TN	EGN-2100 TN	S-900
Capacity (Liters)	1410	650	1410	650	310	210	200
Unit Size WxDxH (Inches)	58 x 33 x 79	29 x 33 x 79	58 x 33 x 79	29 x 33 x 79	71 x 28x 33	54 x28 x 33	35 x 28 x 33
Shelves (No.)	6	3	6	3	6	9	2
Temperature	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(-17°C ~ -24°C)	(-17°C ~ -24°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)
Door Type	4 Solid Door	2 Solid Door	4 Solid Door	2 Solid Door	3 Solid Door	2 Solid Door	2 Solid Door
Climate Type	T	T	T	T	T	T	T
Refrigerant	R-134 A	R-134 A	R-404 A	R-404 A	R-134 A	R-134 A	R-134 A

"QUALITY PRODUCTS...!!!"
"EXCELLENT SERVICE.. AESTHETIC LOOKS....!!

EURONOVA PROFESSIONALS



EBB-250



EBB-350



UNDER COUNTER BACKBAR



SH-3000/800

HIGHLIGHTS:

HIGHLIGHTS FOR BACK BAR COOLER

- Electronic Controller, Individual adjustable shelves
- Super Fast Cooling Technology.
- Environment Friendly Refrigerant And Foaming Agent.
- Automatic Self Closing door
- Double Layer Tempered Glass
- Interior LED Light
- Exterior Material Black Pre Coated Steel
- Interior Material Embossed Aluminium
- Ultra silent design & Lock & key Facilities.



SH-2000/700



FIVE PANS BLAST FREEZER



TEN PANS BLAST FREEZER

EURONOVA PROFESSIONALS TECHNICAL SPECIFICATIONS

Model Name	EBB - 250	EBB - 350	EGN - 2100 TNG	EGN-3100 TNG	SS-2000/700	SS-3000/800	EPS-200 1/6 PAN	EPS-300 1/6 PAN
Capacity (Liters)	250	350	210	310	282	580	240	392
Unit Size WxDxH (Inches)	35 x 20 x 35	53 x 20 x 35	54 x 28 x 33	71 x 28 x 33	54x28x43	80 x 31 x 43	36 x 28 x 38	54 x 28 x 38
Shelves (No.)	4	6	3	6	2	3	2	3
Temperature	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(0°C ~ +10°C)	(0°C ~ +10°C)
Door Type	2 Glass Door	3 Glass Door	2 Glass Door	3 Glass Door	2 Glass Door	3 Glass Door	2 Glass Door	3 Glass Door
Climate Type	T	T	T	T	T	T	T	T
Refrigerant	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A

"FRESHNESS YOU CAN FEEL, QUALITY YOU CAN SEE!!!"

ICE MAKING MACHINES



HIGHLIGHTS:

HIGHLIGHTS FOR TOP MOUNTED FREEZER

- Interior And Exterior Material : Stainless Steel 304 Grade
- New Advanced Self-checking Controller To Automatically Control The Process From Water Inlet To Ice Making To Ice Dropping To Ice Storage And Ice Full Storage To Restart
- Air Cooled System
- Slide Door Material : Stainless Steel 304 Grade
- High Efficient Refrigerating System Design
- Ice Shape : Mineral Salts Shape
- Easy To Clean The Storage Cabinet
- High Efficient Compressor



EIM-15 (H)

- Ice making capacity: 15KGS/24H
- Ice storage capacity: 0.8KGS
- Water Tank Capacity: 2.2L
- Body Color: Silver
- Water Refilled: Manually
- Choose from 3 ice cube sizes: small, medium or large
- Removable ice basket
- Best for kitty party ,Bar in house etc..

ICE MAKING MACHINE TECHNICAL SPECIFICATIONS

Model Name	EIM-20	EIM-50	EIM-100	EIMS-30	EIMS-50	EIMS-100	EIM-15(H)
Capacity (kg/24h)	25	50	100	30	50	100	15
Storage (kg)	5	14	55	7	15	40	1
Input Power(w)	215	380	360*2	220	380	480	180
Cooling type	Fan Cooling	Fan Cooling	Fan Cooling	Fan Cooling	Fan Cooling	Fan Cooling	Fan Cooling
Water Connection	Connect with water tap	Connect with water tap	Connect with water tap	Connect with water tap	Connect with water tap	Connect with water tap	Refilled by hand and water tank 2.2L
Outside material	Stainless Steel-304 Grade	Stainless Steel-304 Grade	Stainless Steel-304 Grade	Stainless Steel-304 Grade	Stainless Steel-304 Grade	Stainless Steel-304 Grade	Powder Coated
Ice Shape	Bullet Ice	Bullet Ice	Bullet Ice	Flake Ice	Flake Ice	Flake Ice	Bullet Ice
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a	R134a
Unit Size(L×W×H)(mm)	330 × 470 × 565	398 × 512 × 820	682 × 610 × 1050	330 × 470 × 580	398 × 512 × 732	548 × 611 × 873	370 × 335 × 280
N.W.:(kg)	28	33	64	28	43	58	12

"INNOVATION HONESTY SPECIALITY & EXCELLENCE ARE OUR DIRECTIONS WE ALWAYS KEEPS"!!!

SUPERMARKET PRODUCTS



DELI COUNTER



KONARK-6 (P)



ANGEL-500 (F)
(FOUR SIDE GLASS)



ANGEL-500 (C)
(FOUR SIDE GLASS)

HIGHLIGHTS:

HIGHLIGHTS FOR OPEN DECK CHILLER

- World's Best Compressor brand – Embraco/Danfoss
- World's Best Fan motor Brand -EBM
- Copper Fin Type Evaporator
- Copper Fin Type Condenser
- LED Light in Each Shelf
- With Night Curtain
- Automatic Defrost and Automatic Drain Water
- Adjustable shelves with Price Label
- Available in variant sizes and colour options

HIGHLIGHTS:

HIGHLIGHTS FOR COMBINED ISLAND

- Super Size Straight Line Island Freezer
- Exterior Material: White Pre-coated Steel, Interior White Prepainted Aluminum Sheet
- Top Curved Sliding Glass Lid With Low-e Film
- Automatic Hot Gas Defrost
- Condensing With Fan
- High Quality Danfoss Compressor
- Italian Brand Eliwell/dixell Digital Thermostat
- Interior Led Light
- Full Basket With Dividers
- Front Side Protection Pole
- Adjustable Feet



COMBINED ISLAND



ECS-43 (A)

SUPERMARKET PRODUCTS TECHNICAL SPECIFICATIONS

Model Name	KONARK-4(P)	KONARK-6(P)	KONARK-8(P)	EDC 15SG	EDC 20SG	EIF-650DLX	EIF-750 DLX
Size	4 Feets Plug In	6 Feets Plug In	8 Feets Plug In	Deli Counter	Deli Counter	Combined Island	Combined Island
Unit Size WxDxH (Inches)	52 x 26 x 79	77 x 26 x 79	101 x 26 x 79	59 x 43 x 47	70 x 43 x 47	71 x 34 x 36	86 x 34 x 36
Shelves (No.)	4	4	4	Without	Without	3 Divider	3 Divider
Temperature	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(+2°C ~ +8°C)	(-17°C ~ -24°C)	(-17°C ~ -24°C)
Door Type	Without	Without	Without	2/Glass Door	2/Glass Door	2/Glass Door	2/Glass Door
Climate Type	ST	ST	ST	ST	ST	ST	ST
Refrigerant	R-404 A	R-404 A	R-404 A	R-404 A	R-404 A	R-404 A	R-404 A

"YOU TAKE CARE OF YOUR CUSTOMERS
WE'LL TAKE CARE OF YOU!!!"

VERTICAL FREEZERS



EVF-250 (NEW)



EVF-450 (NEW)



EVF-1100 (NEW)



EVF-1700 (NEW)

HIGHLIGHTS:

- DANFOSS Compressor.
- EBM Fan Motor.
- DIXELL Controller.
- DYNAMIC cooling technology.
- 2 LED Lights & 3 Layer hollow glass with heating element
- Semi Movable condensing unit.
- With Caster Wheel and Adjustable Leg
- Movable shelves and shelf brackets
- Triple Glazed Safety Glasses with heater
- Fan Blowing System
- Automatic Defrost System



EVF-70 (S)

VERTICAL FREEZER TECHNICAL SPECIFICATIONS

Model Name	EVF-70(S)	EVF-250 (NEW)	EVF-450 New	EVF-1100 New	EVF-1700 New
Gross Capacity (Litres)	70	220	450	1100	1700
Unit Size WxDxH (Inches)	23 x 22 x 23	18 x 24 x 71	26 x 27 x 79	51 x 27 x 79	78 x 30 x 80
Shelves (No.)	2	2	4	8	12
Temperature	(-17° to -24° C)	(-17° to -24° C)	(-17° to -24° C)	(-17° to -24° C)	(-17° to -24° C)
Door Type	1/Glass Door	1/Glass Door	1/Glass Door	2/Glass Door	3/Glass Door
Climate Type	ST	ST	ST	ST	ST
Refrigerant	R-134 A	R-404 A	R-404 A	R-404 A	R-404 A

"FOOD.....THE ESSENCE OF LIFE"

"KEEP YOUR FOOD FRESH & HEALTHY FOR LONG TIME!!!"

UPRIGHT COOLERS / VISI COOLERS



EVC-1700



EVC-1100



EVC-650 (D)



EVC-650/450/300



EVC-220

HIGHLIGHTS:

- TROPICALIZED i.e. suited to take on harsh Indian Temperature Conditions, can perform at even 45°C.
- DANFOSS Compressor.
- EBM Fan Motor.
- DIXELL Controller.
- DYNAMIC cooling technology.
- 2 LED Lights & 2 Layer hollow glass with outside one in tempered.
- Auto Closing Glass Door.
- Hinged Fan Cover for easy maintenance.
- Semi Movable condensing unit.
- Noise Free Machines at Work.



ECC-15A



EVC-70

UPRIGHT COOLER / VISI COOLER - TECHNICAL SPECIFICATIONS

Model Name	ECC-15(A)	EVC-70	EVC-120	EVC-220	EVC-300	EVC-450	EVC-650	EVC-1100	EVC-1700
Gross Capacity (Litres)	15	70	120	220	300	450	650	1100	1700
Unit Size WxDxH (Inches)	16 x 16 x 14	19 x 20 x 31	19 x 20 x 40	22 x 23 x 69	23 x 23 x 75	26 x 26 x 75	28 x 27 x 82	51 x 27 x 79	68 x 29 x 81
Shelves (No.)	1	2	2	2	4	4	4	8	12
Temperature	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)	(+2 C° ~ +8 C°)
Door Type	Single Glass Door	Single Glass Door	Single Glass Door	Single Glass Door	Single Glass Door	Single Glass Door	Single Glass Door	Double Glass Door	Triple Glass Door
Climate Type	T	T	T	T	T	T	T	T	T
Refrigerant	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A

"COOLING SOLUTIONS YOU NEED IS HERE & NOWHERE ELSE!!!"

GLASS TOP / ISLAND FREEZERS

World's Finest Range Of Glass Door Freezer & Island Freezer To Suit To Display Frozen Products, Dairy And Supermarket Products Variants From 150 To 660 Ltrs



EIF-450



EGT-250 DLX



EGT-150 CGCB



SCOOPING PARLOUR 14/21 F



EGT-650DLX

HIGHLIGHTS:

- TROPICALIZED i.e. suited to take on harsh Indian Temperature Conditions, can perform even at 45°C.
- Service Free Machine. (Fit it & Forget it)
- DUAL CONDENSER (Skin + Auxiliary).
- Optimal ENERGY SAVING machine due to better CONDENSING capacity.
- Curve Glass door machines for better visibility
- Advanced compressor freezing technology for quicker refrigeration
- Noise Free Machines at Work.

GLASS DOOR/ISLAND FREEZER TECHNICAL SPECIFICATIONS

Model Name	EGT-150 CGCB	EGT-290 CGCB	EGT-350CG	EGT-400CGCB	EGT-450	EGT-550CGCB	EIF-450	EIF-660	EGT-250 DLX	EGT-350 DLX	Scooping 14/21
Gross Capacity (Litres)	150	275	350	400	450	550	450	660	250	350	650
Unit Size WxDxH (Inches)	25 x 27 x 45	33 x 26 x 36	51 x 25 x 33	48 x 27 x 37	52 x 28 x 36	64 x 24 x 36	70 x 29 x 32	80 x 31 x 36	30 x 27 x 34	41 x 27 x 34	60 x 27 x 34
Input Power(W)	125	175	200	280	310	280	280	340	175	175	175
Temperature	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C	-17°C ~ -24°C
Door Type	Curve Glass	Curve Glass	Curve Glass	Curve Glass	Flat Glass	Curve Glass	Flat Glass	Flat Glass	Curve Glass	Curve Glass	Curve Glass
Climate Type	T	T	T	T	T	T	T	T	T	T	T
Refrigerant	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A	R134 A

YOU THINK OF IT WE HAVE IT !!!

MULTI FUNCTIONAL CHEST FREEZERS / CHILLERS

World's Finest Range of Chest Freezer / Chiller to Suit Every Need in Single and Double Lid Variants from 120 ltrs. to 750 ltrs.



EHF-650



EHFCC-350



EHF-320

HIGHLIGHTS:

- TROPICALIZED i.e. suited to take on harsh Indian Temperature Conditions, can perform even at 45°C.
- Dual Temperature Option (+8°C to -24°C). Easy to access temperature.
- Service Free Machine. (Fit it & Forget it)
- World's Best Compressor Brand.
- Dual Condenser (Skin + Auxiliary).
- Optimal ENERGY SAVING machine due to better CONDENSING capacity.
- Italy foaming TECHNOLOGY.
- Noise Free Machines at Work.
- Environment friendly refrigerant & foaming agent.



EHF-120

CHEST FREEZER/CHILLER - TECHNICAL SPECIFICATIONS

Model Name	EHF-120	EHF-220	EHF-320	EHF CC-350	EHF-400	EHF-550	EHF-650
Gross Capacity (Litres)	120	220	320	160+160	400	550	650
Unit Size WxDxH (Inches)	21 x 24 x 33	33 x 26 x 33	43 x 26 x 34	48 x 24 x 37	51 x 26 x 33	63 x 27 x 32	71 x 27 x 32
Input Power(W)	105	115	175	175	190	240	280
Temperature	(+ 8 C° ~ - 24 C°)	(+ 8 C° ~ - 24 C°)	(+ 8 C° ~ - 24 C°)	(+ 8 C° ~ - 24 C°)	(+ 8 C° ~ - 24 C°)	(+ 8 C° ~ - 24 C°)	(+ 8 C° ~ - 24 C°)
No. of Door	1	1	1	2+2	2	2	2
Climate Type	T	T	T	T	T	T	T
Refrigerant	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A	R-134 A

"KEEPS YOUR FOODS FRESH & ENSURES BETTER SHELF LIFE OF THE PRODUCTS"

LIFE SCIENCE EQUIPMENTS



HIGHLIGHTS:

HIGHLIGHTS FOR ULTRA LOW TEMPERATURE FREEZER

- Platinum resistance temperature sensor, temperature sensing accuracy
- Safety Control System
- Alarm system: High and low temperature alarms, sensor failure alarm
- Alarm Types: Buzzing and flashing
- New design pressing door handle can strengthen heat preservation effectively, handle with silicone gel prevent cold injury
- easy to clean and replace condenser filter
- The unique damping noise reduction the noise is 55db
- Anti pinch injury outer door handle, can add padlock, more safety
- Keyboard lock, password protection function to avoid set parameter random
- Double-layer SUS inner door and removable, easy to clean
- Option of USB and remote alarm port

PLATELET OSCILLATING INCUBATOR



MEDICINE REFRIGERATOR TECHNICAL SPECIFICATIONS


Model Name	EFS-345	EFS-400-A	EFS-200-A	EUL-328-40V	EUL-188-86V	EUL-340-86V	EUL-268-40V
Capacity (Liters)	345	400	200	328	188	340	268
Unit Size WxDxH (Inches)	24 x 27 x 70	24 x 24 x 74	24 x 24 x 35	26 x 27 x 74	33 x 32 x 63	34 x 42 x 75	26 x 27 x 64
Shelves (No.)	10 Drawers	4	3	5	3	5	3
Temperature	(-17°C ~ -24°C)	(-17°C ~ -24°C)	(+20°C ~ +24°C)	(-30°C ~ -40°C)	(-60°C ~ -86°C)	(-60°C ~ -86°C)	(-30°C ~ -40°C)
Door Type	1/Soild	1/Soild	1/Soild	1/Soild	1/Soild	1/Soild	1/Soild
Climate Type	ST	ST	ST	ST	ST	ST	ST
Refrigerant	R-134 A	R-404 A	R-404 A	R-404 A	R-404 A	R-404 A	R-404 A

**"ENSURE ABSOLUTE PRECISION COMBINES
TOP-NOTCH QUALITY WITH AFFORDABLE PRICING"!!!!**



DONRACK'S
one stop storage solutions

Authorized Distributor of Euronova



DONRACK'S
one stop storage solutions

Corporate office

25 – A/2, North Phase, Aavin Dairy Road, SIDCO Industrial Estate,
Ambattur, Chennai - 600098, Tamil Nadu, India.
Phone: 04426244650 Mail-id : sales@donracks.com

Retail Storage Racks + (91) – 9380241286
Industrial & Warehouse Storage Solutions + (91) - 9025143 173

Our Showrooms

Coimbatore

#500A, First Floor Avinashi Rd, Nava India,
PN Palayam, Sri Ramakrishna Dental College
and Hospital, Peelamedu, Coimbatore - 641044
Tamilnadu, India.

☎ : 0422-4216226 / 9381437875

Trichy

2ND Floor, Nachi Bajaj Towers,
No.122, Palakarai Main Road,
Palakarai Warehouse Stop, Trichy - 620001
Tamilnadu, India.

☎ : 0431-4540376 / 9381437875

Bangalore

90, KH Road, Raja Ram Mahanroy Extension,
Sudhama Nagar, Bangalore - 560027
Karnataka
India

☎ : 080 - 41425583 / 9900088489

Cochin

1ST Floor, Sreenivasa Tower, Aalinchuvadu,
Palarivattom, Cochin,
Ernakulam - 682024
Kerala, India

☎ : 048-44010789 / 8138888703

Vijayawada

DN.30-22-III, 1ST Floor Above Kandukur mart,
Seetharampuram, Eluru Road,
Vijayawada-2
India

☎ : 8008100633

Hyderabad

DONRACKS
TMTE Metal Tech Pvt Ltd

☎ : 8008100533

*Specifications, features and colours are subject to change without any prior notice, due to continuous product developments.